


VERSETTA STONE





VERSETTA STONE

The Mortarless Way To Install Beautiful Stone Veneer Walls

Ledgestone Style Stone Siding

Easy installation & weather resistant

Versetta Stone Ledgestone Style features a traditional dry stack look with staggered layers and a rough-cut finish, complementing various home styles and pairing well with brick, stucco, and wood.






























Looks Like Stacked Stone. Installs Like Siding.

- Mortarless, panelized design can be installed with screws or nails
- Easy installation can be performed by a siding contractor or carpenter
- Withstands freezes, thaws, winds and heat
- Reduces installer fatigue with its lightweight aggregate materials
- Each panel covers 2 ft²

Tight-Cut Style Stone Siding

Easy installation & weather resistant


Versetta Stone Tight Cut offers the refined look of expertly fitted stone in easy-to-install panels. Ideal for enhancing curb appeal or adding style to indoor accent walls, fireplaces, patios, or pools.





























SPECS



FLAT PANEL

- Panel exposure size is 36" x 8"
- Covers two square feet per panel
- Uses four screws per panel
- Each flat panel embedded with a G-90 galvanized nail strip*

*Includes a 50-year corrosive-resistant warranty.





UNIVERSAL CORNER

- Corner panel size is 36" x 8"
- Same size and shape as flat panel
- Features finished edges
- For use on end wall terminations, inside and outside corners and columns

ENGINEERED FOR THE LONG HAUL

- Patented stone panels and system
- Withstands freeze and thaw cycles†
- Fiber-reinforced concrete for strength
- Resists hurricane-force winds
- ICC Evaluation Service Report ESR-2859





MADE FOR PIECE OF MIND

- 50-Year Warranty
- Certified to contain at least 50% recycled content
- Flame Spread Index and Smoke
 Developed Index of 0
- Easy for contractors or DIYers to work with

Accessories



J-CHANNEL 10' Length



STARTER STRIP 10' Length



WAINSCOT CAP/SILL 36" x 3-1/2" 2.6" Exposure / 3" Thickness



TRIM STONE
36" x 9-1/2"
8.2" Exposure



10" x 8" 1-3/4" Thickness



8" x 6" 1-3/4" Thickness



9.5" x 15"

1-3/4" Thickness



PIER CAP 22" x 22" 2" Thickness

Accessories are available in the following colors:



Taupe



Stone Grey



Charcoal



FASTENING SCREWS

- 10 x 1-5/8" (not for application over insulation)
- 10 x 2-1/4" (meant for applications over 1" insulation)
- Made of case hardened carbon steel
- Ideal for interior and exterior applications
- Tight Star Recess system grasps the U-Bit tightly









VERSETTA STONE

